### New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Cumberland County Residents

. Current HIV/A		Adult/Ado Cases	용		Pediat Cases	용			Tota ases	용
AIDS-Any OI AIDS-CD4 Only HIV Only	7	 # 144 #	#		# O #	 # C	: ) :		76 144 199	18 34 47
Total		414	100		5	100		_	419	100
Current . Age * Cases		3. Race/	Eth.		Adult/ Cases		Pedia Cases	%	Cases	용
<pre>&lt;5  # 5-12  # 13-19  5 20-29  25</pre>	# # 1 6	White Black Hispa Other	, Not Hisp , Not Hisp	oanic oanic	79 # #	19 # # #	O # # #	O # # #	177 159 #	19 42 38 #
30-39 141 40-49 158 50+ 85 Unk. 0  Total 419	38 20 0	Total			414		5	100	419	
. Patient Group									odes **	
			Males			Female			Tota	
	contact prted/other***		53 104 10 37 54	40 4 14 21		47 0 70 34	0 0 31 0 0 46 4 23		15 1 10 8	53 51 0 0 7 88
Total			258	100		151	100		40	)9
			Males	Pe	diatric	Female	s %		es Tota	ıl
	sk/has AIDS/HIV orted/other***		#	# # 		#	#			#

NOTE: Includes only those persons known to be infected with HIV.

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2003.
- $^{**}$  5 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

7 100

# #

10 100

 $\ensuremath{^{\star\star\star}}$  Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of ${\tt HIV/AIDS}$ Services AIDS Cases Reported as of December 31, 2003 Cumberland County Residents

Adult/Adolescent\*

1.	Disease Ca	tegory	Ca	ses (%)	Deaths (%)	Cases	(%)	Death	ıs (%)	Cases	(%)	Deaths (%)
	PCP Other OI w KS Alone No Disease			# ( #) # ( #) 6 ( 1) 238 ( 49)	# ( #) # ( #) 5 ( 83) 94 ( 40)	#	# ( #) # ( #) 0 ( 0)	#	#) ( #) ( -)	•	25) 1)	82 ( 65) 92 ( 75) 5 ( 83) 94 ( 40)
	Total			485 (100)	269 ( 56)	8	3 (100)	#	( 50)	493 (1	.00)	273 ( 56)
2.	Age *	Cases	양	3. Race	Eth.	Adult/A		Pediatr Cases	ic*	Total Cases	90	
	Under 5 5-12 13-19 20-29 30-39 40-49 Over 49 Unknown	5 # 72 222 138 51 0	1 # 15 45 28 10	Black Hispa Other	/Unknown	112 208 # 	23 43 # #  100	 0 5 # #  8	0 63 #  100	112 213 166 #  493	23 43 34 # 	
	Total	493	100									

Pediatric\*

Total

1	Patient	Croun

Patient Group	Adult/Adolescent Transmission Modes **									
	Males	용	Females	ક	Total	용				
Men sex with men (MSM)	78	23	0	0	78	16				
Injection drug user (IDU)	172	50	57	40	229	47				
MSM/IDU	14	4	0	0	14	3				
Heterosexual contact	29	8	60	42	89	18				
Risk not reported/other***	50	15	25	18	75	15				
Total	343	100	142	100	485	100				

	Pediatric Transmission Modes							
	Males	용	Females %	Total	용			
Parent at risk/has AIDS/HIV	#	#	# #	7	88			
Risk not reported/other***	#	#	# #	#	#			
Total	#	#	# #	8	100			

<sup>#</sup> indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

<sup>\*\* 0</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Cumberland County Residents

# 5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Cases	Number of Deaths	Rate
Before 1985	#	#	#
1985	#	#	#
1986	6	6	100%
1987	5	5	100%
1988	7	7	100%
1989	12	11	92%
1990	16	16	100%
1991	33	31	94%
1992	37	29	78%
1993	47	36	77%
1994	35	21	60%
1995	50	31	62%
1996	55	26	47%
1997	19	#	#
1998	33	13	39%
1999	34	10	29%
2000	38	6	16%
2001	22	9	41%
2002	23	5	22%
2003	15	#	#
Total	493	273	55%

# New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Cumberland County Residents

1.	Age *	Cases	%	2. Race/Ethnicity	Adult/A		Pediat Cases	ric* %	Total Cases	o <sub>0</sub>
	Under 5 5-12 13-19 20-29 30-39 40-49	5 # 76 56	2 # 34 25 30	White, Not Hispanic Black, Not Hispanic Hispanic Other/Unknown	38 # # 	17 # # # 	0 # 0 6	0 # 0 	38 94 89 # 	17 42 40 # 
	Over 49 Unknown	13 0  224	6 0 	Total	210	100	0	100	221	100
3.	Patient Grou	d		Adu Males 	lt/Adoles % 		Transmissi males %	on Mod	les ** Total %	

Patient Group	Adult/Adolescent Transmission Modes **									
-	Males	%	Females	%	Total	%				
Men sex with men (MSM)	26	 19		0	26	12				
Injection drug user (IDU)	48	36	18	21	66	30				
MSM/IDU	9	7	0	0	9	4				
Heterosexual contact	16	12	46	55	62	28				
Risk not reported/other***	35	26	20	24	55	25				
Total	134	100	84	100	218	100				
		Pedia	tric Transmis	ssion Mod	des					
	Males	%	Females	%	Total	%				
Parent at risk/has AIDS/HIV	#	#	#	#	 6	100				
Risk not reported/other***	0	Ö	0	Ö	0	0				
Total	#	#	#	#		100				

- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Cumberland County Residents

1.	Current HI	V/AIDS Ca			Adult/Ado	%		Pec Case	es	ic * %			Total ses 	% 	
	AIDS-Any C AIDS-CD4 C HIV Only	oI Only			247 238 218	35 34			8 0 6	57 0 43			255	36 33 31	
	Total				703	100		1	L 4	100			717	100	
2.	Age *	Cases	୍ଚ	3.	Race/Eth.		С	dult/ <i>I</i> ases	용	Ca		ric* %		To Cases	otal %
	Under 5		1		White, No	t Hispanic		150	21		0			150	
	5-12	#	#		Black, No	t Hispanic		298	42		9	64		307	43
	13-19	10	1		Hispanic			250			5	36		255	36
	20-29	174			Other/Unk			5	1		0	0		5	1
	30-39	270													
	40-49	196			Total			703	100		14	100		717	100
	Over 49	53													
	Unknown	#													
	Total	717													
4.	Patient Gr	oup				Ad	lult/	Adoles	scent	Transı	missi	on Mo	des **		
						Males				emales			Total		
	Men sex wi					104			_		0		104		
	Injection	,	,			220				75			295		
	MSM/IDU	arag aber	(100)				5			0			23		
	Heterosexu	al contac	:t				9			106				. 21	
	Risk not r					85	18			45	20		130	18	
									-						
	Total					477	100			226	100		703	100	
							P	ediatr	ric T	ransmi	ssion	Mode	S		
						Males	8		-	emales			Total	. %	

13 93

# #

14 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

Parent at risk/has AIDS/HIV

Risk not reported/other\*\*\*

Total

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

9 100

5 100

 $\star\star\star$  Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

### New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Cumberland County Residents

## 5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	5	5	100%
1985	5	#	#
1986	9	9	100%
1987	11	11	100%
1988	11	11	100%
1989	22	17	77%
1990	27	25	93%
1991	52	35	67%
1992	88	34	39%
1993	63	32	51%
1994	61	31	51%
1995	69	25	36%
1996	58	21	36%
1997	37	7	19%
1998	42	10	24%
1999	37	5	14%
2000	39	6	15%
2001	35	8	23%
2002	22	#	#
2003	24	#	#
	717	200	420
Total	717	298	42%